

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|--|------------------|---------|---------------------|
| L1 | 2 | "6249306".pn. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L2 | 2 | "20010048460".pn. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L3 | 0 | EPO750418 | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L4 | 20 | "750418" | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L5 | 2 | "5721622".PN. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L6 | 2 | "6249306".pn. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L7 | 2 | "20070046771".pn. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L8 | 92328 | "347"/\$.ccs. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L9 | 22703 | position with sensor with beam | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L10 | 1024 | L9 and L8 | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L11 | 8 | L10 and scroll | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L12 | 13 | position with sensor with beam and 347/239.ccls. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L13 | 2243 | 358/1.6.ccls. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L14 | 23103 | (exposure with light with beam) and image | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L15 | 89 | L14 and 347/239.ccls. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L16 | 390 | 347/239.ccls. | US-PGRUB; USPAT; EPO; JPO; | OR | ON | 2012/01/09 14:39 |

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| | | | DERWENT | | | |
| L17 | 29 | (motor or servo\$3motor) with (beam or laser or light) with exposure and scroll | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L18 | 1793 | (motor or servo\$3motor) with (beam or laser or light) with exposure and (scroll\$5 or scan\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L19 | 1 | (motor or servo\$3motor) with (beam or laser or light) with exposure and (scroll\$5 or scan\$5)and L15 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L20 | 442 | 347/248.cds. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L21 | 2 | "6624877".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L22 | 2 | "20070046771" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L23 | 2 | "20010048460".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L24 | 2 | "6249306".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L25 | 19551 | spatial adj light adj modulator | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L26 | 22703 | position with sensor with beam | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L27 | 390 | spatial adj light adj modulator and L26 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L28 | 23103 | (exposure with light with beam) and image | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L29 | 64 | spatial adj light adj modulator and L28 and L27 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L30 | 29 | (motor or servo\$3motor) with (beam or laser or light) with exposure and scroll | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L31 | 0 | spatial adj light adj modulator and L28 and L27 and L30 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L32 | 2 | "20030222966" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L33 | 7 | "6624877" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L34 | 2 | "6624877".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |

| | | | | | | |
|-----|-------|---|---|----|----|---------------------|
| L35 | 94049 | "347"/\$.ccls. | US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L36 | 398 | "347"/239.ccls. | US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L37 | 651 | "347"/247.ccls. | US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L38 | 456 | "347"/248.ccls. | US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L39 | 2247 | 358/1.6.ccls. | US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L40 | 2 | "6249306".pn. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L41 | 2 | "20010048460".pn. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L42 | 0 | EP0750418 | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L43 | 20 | "750418" | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L44 | 2 | "5721622".PN. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L45 | 2 | "6249306".pn. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L46 | 2 | "20070046771".pn. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L47 | 92328 | "347"/\$.ccls. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L48 | 22703 | position with sensor with beam | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L49 | 1024 | L48 and L47 | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L50 | 8 | L49 and scroll | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L51 | 13 | position with sensor with beam and 347/239.ccls. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L52 | 2243 | 358/1.6.ccls. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L53 | 23103 | (exposure with light with beam) and image | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |

| | | | | | | |
|-----|-------|---|---|----|----|---------------------|
| L54 | 89 | L53 and 347/239.cds. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L55 | 390 | 347/239.cds. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L56 | 29 | (motor or servo\$3motor) with (beam or laser or light) with exposure and scroll | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L57 | 1793 | (motor or servo\$3motor) with (beam or laser or light) with exposure and (scroll\$5 or scan\$5) | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L58 | 1 | (motor or servo\$3motor) with (beam or laser or light) with exposure and (scroll\$5 or scan\$5)and L54 | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L59 | 442 | 347/248.cds. | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L60 | 2 | "6624877".pn. | US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L61 | 2 | "20070046771" | US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L62 | 2 | "20010048460".pn. | US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L63 | 2 | "6249306".pn. | US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L64 | 19551 | spatial adj light adj modulator | US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L65 | 22703 | position with sensor with beam | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L66 | 390 | spatial adj light adj modulator and L65 | US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L67 | 23103 | (exposure with light with beam) and image | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L68 | 64 | spatial adj light adj modulator and L67 and L66 | US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L69 | 29 | (motor or servo\$3motor) with (beam or laser or light) with exposure and scroll | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L70 | 0 | spatial adj light adj modulator and L67 and L66 and L69 | US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L71 | 2 | "20030222966" | US-PGRUB; USPAT; USCOR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L72 | 7 | "6624877" | US-PGRUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |

| | | | | | | |
|-----|---|---------------|---|----|-----|---------------------|
| | | | USOCR; EPO; JPO; DERWENT | | | 14:39 |
| L73 | 2 | "6624877".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2012/01/09 14:39 |
| L74 | 2 | "5049901".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2012/01/09 14:39 |

1/9/2012 2:44:13 PM**C:\Users\schacko\Documents\EAST\Workspaces\10577930.wsp**